



防爆电气设备

防爆合格证

国家防爆

Cer. No.: CNEx09.0288

Manufacturer R.STAHL Schaltgeräte GmbH
(Am Bahnhof 30, 74638 Waldenburg(Württ.), Germany)

Name of Product Motor protection circuit breaker

Type of Product 8527/2.-.-.-.

Marking Exed II CT4/T5/T6

Standard _____

Drawing No. 85 270 12 00 0, 85 270 13 00 0, 85 270 14 00 0

The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:
GB3836.1-2000 Electrical Apparatus for Explosive Gas atmospheres - Part 1: General Requirements
GB3836.2-2000 Electrical Apparatus for Explosive Gas atmospheres - Part 2: Flameproof enclosure "d"
GB3836.3-2000 Electrical Apparatus for Explosive Gas atmospheres - Part 3: Increased Safe "e"

Note See the appendix (total 3 pages).

Valid Date From February 19, 2009 to February 18, 2014

Issue Date February 19, 2009

Director



国家防爆电气产品质量监督检验中心

地址：中国河南省南阳市仲景北路20号 邮政编码：473008

电话：0377-63258564 传真：0377-63208175 [Http://www.china-ex.com](http://www.china-ex.com)





国家防爆

防爆电气设备

防爆合格证(附页)

Page 1 of 3

Cer. No.: CNEx09.0288

1. Type Designation:

Motor protection circuit breaker Type 8527 / 2 . - . - . -

Type series				
Version				
Circuit breaker Type 8523/8. with polyester enclosure	=2			
Type 8523/81 in 8146/.242 without ammeter	=1			
Type 8523/82 in 8146/.062 without ammeter	=2			
Type 8523/81 in 8146/.072 without ammeter	=3			
Type 8523/82 in 8146/.072 without ammeter	=4			
Type 8523/81 in 8146/.072 without ammeter	=5			
Type 8523/82 in 8146/.072 without ammeter	=6			
Code for setting ranges				
Additional variations without influence on explosion protection				

Valid Date From February 19, 2009 to February 18, 2014

Issue Date February 19, 2009

Director



国家防爆电气产品质量监督检验中心

地址: 中国河南省南阳市仲景北路20号 邮政编码: 473008

电话: 0377-63258564 传真: 0377-63208175 <http://www.china-ex.com>



国家防爆

防爆电气设备

防爆合格证(附页)

Page 2 of 3

Cer. No.: CNEx09.0288

2. Electrical data

Rated voltage up to 690 V

Rated current at the main connections
of circuit breaker version

Type 8527/21-...-.... up to 16 A

Type 8527/22-...-.... up to 16 A

Type 8527/23-...-.... up to 25 A

Type 8527/24-...-.... up to 25 A

Type 8527/25-...-.... up to 25 A

Type 8527/26-...-.... up to 25 A

Rated current at the auxiliary contacts up to 6 A

3. Temperature class

Type 8527/21-...-.... and Type 8527/22-...-....

Rated current	Temperature class
0.16-0.25A	T6
> 0.25-15.5A	T5
> 15.5-16.0A	T4

Valid Date From February 19, 2009 to February 18, 2014

Issue Date February 19, 2009

Director



国家防爆电气产品质量监督检验中心

地址: 中国河南省南阳市仲景北路20号 邮政编码: 473008

电话: 0377-63258564 传真: 0377-63208175 [Http://www.china-ex.com](http://www.china-ex.com)



国家防爆

防爆电气设备

防爆合格证(附页)

Page 3 of 3

Cer. No.: CNEx09.0288

Type 8527/23-...-..., Type 8527/24-...-..., Type 8527/25-...-... and Type 8527/26-...-...

Rated current	Temperature class
0.16-12.5A	T6
16.0-22.5A	T5
> 22.5-25.0A	T4

Valid Date From February 19, 2009 to February 18, 2014

Issue Date February 19, 2009

Director



国家防爆电气产品质量监督检验中心

地址：中国河南省南阳市中景北路20号 邮政编码：473008

电话：0377-63258564 传真：0377-63208175 [Http://www.china-ex.com](http://www.china-ex.com)

